

## DH-IPC-HFW4200E

2Megapixel Full HD Network Small IR-Bullet Camera



### Features

- 1/3" 2Megapixel progressive scan Exmor CMOS
- H.264&MJPEG dual-stream encoding
- 25/30fps@1080P(1920×1080)
- DWDR, Day/Night(ICR), 3DNR,AWB,AGC,BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 3.6mm fixed lens (6mm,8mm optional)
- Max. IR LEDs Length 30m
- IP66, PoE

# DH-IPC-HFW4200E

## Technical Specifications


|                          |             |                                                                                                                                                       |
|--------------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Model</b>             |             | <b>DH-IPC-HFW4200E</b>                                                                                                                                |
| <b>Camera</b>            |             |                                                                                                                                                       |
| Image Sensor             |             | 1/3" 2Megapixel progressive scan Exmor CMOS                                                                                                           |
| Effective Pixels         |             | 1920(H)x1080(V)                                                                                                                                       |
| Scanning System          |             | Progressive                                                                                                                                           |
| Electronic Shutter Speed |             | Auto/Manual, 1/3(4)~1/10000s                                                                                                                          |
| Min. Illumination        |             | 0. 1Lux/F1.2 (Color), 0.01Lux/F1.2(B/W);0Lux/F1.2(IR on)                                                                                              |
| S/N Ratio                |             | More than 50dB                                                                                                                                        |
| Video Output             |             | N/A                                                                                                                                                   |
| <b>Camera Features</b>   |             |                                                                                                                                                       |
| Max. IR LEDs Length      |             | 30m                                                                                                                                                   |
| Day/Night                |             | Auto(ICR)/Color/B/W                                                                                                                                   |
| Backlight Compensation   |             | BLC / HLC / DWDR                                                                                                                                      |
| White Balance            |             | Auto/Manual                                                                                                                                           |
| Gain Control             |             | Auto/Manual                                                                                                                                           |
| Noise Reduction          |             | 3D                                                                                                                                                    |
| Privacy Masking          |             | Up to 4 areas                                                                                                                                         |
| <b>Lens</b>              |             |                                                                                                                                                       |
| Focal Length             |             | 3.6mm (6mm,8mm optional)                                                                                                                              |
| Max Aperture             |             | F1.6                                                                                                                                                  |
| Focus Control            |             | Manual                                                                                                                                                |
| Angle of View            |             | H: 87.8°(53.5°/39.5°)                                                                                                                                 |
| Lens Type                |             | Fixed lens                                                                                                                                            |
| Mount Type               |             | Board-in Type                                                                                                                                         |
| <b>Video</b>             |             |                                                                                                                                                       |
| Compression              |             | H.264/MJPEG                                                                                                                                           |
| Resolution               |             | 1080P(1920×1080)/720P(1280×720)/D1(704×576/704×480)/CIF(352×288/352×240)                                                                              |
| Frame Rate               | Main Stream | 1080P/720P(1 ~ 25/30fps)                                                                                                                              |
|                          | Sub Stream  | D1/CIF(1 ~ 25/30fps)                                                                                                                                  |
| Bit Rate                 |             | H.264: 32K ~ 8192Kbps                                                                                                                                 |
| <b>Audio</b>             |             |                                                                                                                                                       |
| Compression              |             | N/A                                                                                                                                                   |
| Interface                |             | N/A                                                                                                                                                   |
| <b>Network</b>           |             |                                                                                                                                                       |
| Ethernet                 |             | RJ-45 (10/100Base-T)                                                                                                                                  |
| Wi-Fi                    |             | N/A                                                                                                                                                   |
| Protocol                 |             | IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour, GB28181 |
| ONVIF                    |             | ONVIF Profile S                                                                                                                                       |
| Max. User Access         |             | 20users                                                                                                                                               |

## DH-IPC-HFW4200E

|                            |                                      |
|----------------------------|--------------------------------------|
| Smart Phone                | iPhone, iPad, Android, Windows Phone |
| <b>Auxiliary Interface</b> |                                      |
| Memory Slot                | N/A                                  |
| RS485                      | N/A                                  |
| Alarm                      | N/A                                  |
| PIR Sensor Range           | N/A                                  |
| <b>General</b>             |                                      |
| Power Supply               | DC12V, PoE (802.3af)                 |
| Power Consumption          | <5W                                  |
| Working Environment        | -20°C~ +60°C, Less than 95% RH       |
| Ingress Protection         | IP66                                 |
| Vandal Resistance          | N/A                                  |
| Dimensions                 | 168.1mm×66mm×58.4mm                  |
| Weight                     | 0.5kg                                |

## DH-IPC-HFW4200E

### Dimensions (mm)



---

Dahua Technology Co., Ltd. 1187BinAn Road, Binjiang District, Hangzhou, China

Tel: 66956096-09126017817-09107616575

email:imensazaa@gmail.com

www.irandahua.com